

A dynamic photograph of water splashing, with a central stream of water falling and creating a large splash at the bottom. The water is clear and blue, with many droplets and ripples visible. The background is a light, bright blue.

# ANNUAL WATER QUALITY REPORT

REPORTING YEAR 2019



*Presented By*  
**SJW TX for Canyon Lake Shores**

## Message from the General Manager

We are excited to provide you with our 2019 Consumer Confidence Report (CCR). The annual water quality report covers all testing performed between January 1 and December 31, 2019. Our team has worked diligently analyzing data and compiling this report for your review. The focus of our vision, “to serve customers, communities, employees, shareholders, and the environment at world-class levels,” binds us together to provide exceptional water quality.

As you review the data in the Test Results section, keep in mind that many substances are detected at levels that vary throughout the year and at different locations. As a reminder, just because a substance is detected does not mean the water is unhealthy. Natural waters, including the sources used by SJWTX, contain a wide range of natural substances; in fact, some of the minerals detected are essential for good health.

The water source is one of the primary factors that affect the levels of the substances reflected in this report. SJWTX supplies both groundwater and surface water to the customers in your system. As water percolates from the surface into the aquifer, it absorbs many of the minerals it comes into contact with. On the other hand, surface water typically contains small levels of natural organic substances and requires treatment by filtration. Regardless of the source, regulations require that we disinfect the water with chlorine and maintain a minimum level of chlorine residual throughout the distribution system.

In 1996, the Safe Drinking Water Act was amended to require that every five years, the EPA issue a list of no more than 30 unregulated contaminants to be monitored by public water systems under the Unregulated Contaminant Monitoring Rule. Sample collection under the fourth iteration of the program, Fourth Unregulated Contaminant Monitoring Rule (UCMR4), began in 2018 and will conclude in 2020. You will see any detected results of these contaminants located in the Test Results section of this CCR.

The Lead and Copper Program protects public health by minimizing lead and copper levels in drinking water. This is primarily done by helping customers identify whether they may be at high risk for exposure through sampling. Sampling is conducted every three years, and the number of samples taken depend on population size. In 2019, SJWTX collected 30 samples throughout the system to test for lead and copper content in your drinking water. Determining the level of exposure helps SJWTX make decisions about updating the system and helps the customer evaluate their plumbing. In the Test Results section, you can see the 90th-percentile value of the most recent round of sampling.

### Important Health Information

While your drinking water meets U.S. EPA’s standard for arsenic, it does contain low levels of arsenic. U.S. EPA’s standard balances the current understanding of arsenic’s possible health effects against the costs of removing arsenic from drinking water. U.S. EPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

You may be more vulnerable than the general population to certain microbial contaminants, such as *Cryptosporidium*, in drinking water. Infants, some elderly, or immunocompromised persons such as those undergoing chemotherapy for cancer; those who have undergone organ transplants; those who are undergoing treatment with steroids; and people with HIV/AIDS or other immune system disorders can be particularly at risk from infections. You should seek advice about drinking water from your physician or health care provider. Additional guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* are available from the Safe Drinking Water Hotline at (800) 426-4791.



### Our Mission Continues

Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education, while continuing to serve the needs of all our water users.

Please remember that we are always available should you ever have any questions or concerns about your water.

We remain vigilant in delivering the best-quality drinking water

### QUESTIONS?

For more information about this report, or for any questions related to your drinking water, please contact Laura Gloria, Water Quality Specialist, at (830) 312-4600.

## Contaminates in Source Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.



The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can acquire naturally occurring minerals, in some cases, radioactive material; and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

**Microbial Contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

**Inorganic Contaminants**, such as salts and metals, which can be naturally occurring or may result from urban storm-water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

**Pesticides and Herbicides**, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses;

**Organic Chemical Contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and which may also come from gas stations, urban storm-water runoff, and septic systems;

**Radioactive Contaminants**, which can be naturally occurring or may be the result of oil and gas production and mining activities.

Contaminants may be found in drinking water that may cause taste, color, or odor problems. These types of problems are not necessarily causes for health concerns. For more information on taste, odor, or color of drinking water, please contact our business office, (830)312-4600. For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

## What Are PPCPs?

When cleaning out your medicine cabinet, what do you do with your expired pills? Many people flush them down the toilet or toss them into the trash. Although this seems convenient, these actions could threaten our water supply.

Recent studies are generating a growing concern over pharmaceuticals and personal care products (PPCPs) entering water supplies. PPCPs include human and veterinary drugs (prescription or over-the-counter) and consumer products, such as cosmetics, fragrances, lotions, sunscreens, and house-cleaning products. From 2006 to 2010, the number of U.S. prescriptions increased 12 percent to a record 3.7 billion, while nonprescription drug purchases held steady around 3.3 billion. Many of these drugs and personal care products do not biodegrade and may persist in the environment for years.

The best and most cost-effective way to ensure safe water at the tap is to keep our source waters clean. Never flush unused medications down the toilet or sink. Instead, check to see if the pharmacy where you made your purchase accepts medications for disposal, or contact your local health department for information on proper disposal methods and drop-off locations. You can also go on the Web (<https://goo.gl/aZPgeB>) to find more information about disposal locations in your area.

## Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. This water supply is responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).



## Information on the Internet

The U.S. EPA (<https://goo.gl/TFAMKc>) and the Centers for Disease Control and Prevention ([www.cdc.gov](http://www.cdc.gov)) websites provide a substantial amount of information on many issues related to water resources, water conservation and public health. Also, TCEQ has a website (<https://goo.gl/vNHNJN>) that provides complete and current information on water issues in Texas, including valuable information about our watershed.

## Water Loss Audit

In the water loss audit submitted to the Texas Water Development Board during the year covered by this report, our system lost an estimated 165,344,814 gallons of water. If you have any questions about the water loss audit, please call (830) 312-4600.

## Safeguard Your Drinking Water

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides—they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use U.S. EPA's Adopt Your Watershed to locate groups in your community.

Organize a storm drain stenciling project with others in your neighborhood. Stencil a message next to the street drain reminding people "Dump No Waste – Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.


## Impact of Zebra Mussels

The zebra mussel is a small mussel native to Russia. In 1988, it reached North America by a transatlantic freighter. Since then, they have continued to spread throughout the country. Zebra mussels are very successful invaders because they live and feed in many different aquatic habitats and breed prolifically (each female produces 1 million eggs per year) for their entire five-year lifespan.

Adult zebra mussels colonize on living and nonliving surfaces, including boats, buoys, piers, plants, and clams. They are a great concern to drinking water utilities because they can attach to water intake pipes, severely restricting the flow of fresh water. They can also impact water quality by increasing taste and odor problems in the water supply.

Zebra mussels are almost impossible to eradicate once they become established. Water utilities have had to retool their water intake systems to prevent zebra mussel-related problems, costing millions of dollars a year. Utilities rely on a variety of methods to remove mussels from intake pipes; since there is no single, ideal removal solution, new methods are constantly under investigation.

While complete removal may be impossible, preventing zebra mussel spread is not. Human activities have spread them into many inland lakes and streams, usually through recreational boating, fishing, and diving practices. Simple steps such as draining live wells, cleaning vegetation off boat trailers, removing attached zebra mussels from boat hulls, and not dumping bait into lakes or rivers can prevent the spread of zebra mussels into noninfested waters.



## Where Does My Water Come From?

CLWSC Canyon Lake Shores provides surface water from Canyon Lake Reservoir, located in Canyon Lake, TX, and groundwater from the Trinity Aquifer.

Further details about sources and source-water assessments are available in Drinking Water Watch at the following URL: <https://dww2.tceq.texas.gov/DWW/>



SOURCE NAME / LOCATION	SOURCE WATER	TYPE OF WATER	REPORT STATUS	TCEQ SOURCE ID
Canyon Lake Island	Trinity Aquifer	Groundwater	Active	G0460019C
Canyon Lake Shores Treatment Plant	Canyon Lake Reservoir	Surface Water	Active	S0460019A
Cypress Springs	Trinity Aquifer	Groundwater	Active	G0460019U
Hancock Oak Hills	Trinity Aquifer	Groundwater	Active	G0460019AX
HEB Bulverde	Trinity Aquifer	Groundwater	Active	G0460019AD
Hillcrest	Trinity Aquifer	Groundwater	Active	G0460019H
Oakland Estates - Rancher's Circle	Trinity Aquifer	Groundwater	Active	G0460019AV
Oakland Estates - White Brook	Trinity Aquifer	Groundwater	Active	G0460019AW
Saddleridge	Trinity Aquifer	Groundwater	Active	G0460019BA
Scenic Terrace	Trinity Aquifer	Groundwater	Active	G0460019F / G0460019G
Stallion Springs	Trinity Aquifer	Groundwater	Active	G0460019AF
Sybil Lightfoot Treatment Plant	Canyon Lake Reservoir	Surface Water	Active	S0460019B
Tamarack	Trinity Aquifer	Groundwater	Active	G0460019E
The Point	Trinity Aquifer	Groundwater	Active	G0460019I
The Summit Estates at Fischer	Trinity Aquifer	Groundwater	Active	G0460019AY / G0460019AZ

## Source Water Assessment

TCEQ completed an assessment of your source water, and results indicate that some of our sources are susceptible to certain contaminants. The sampling requirements for your water system is based on this susceptibility and previous sample data. Any detections of these contaminants will be found in this Consumer Confidence Report. For more information on source water assessments and protection efforts at our system, contact Laura Gloria, Water Quality Specialist, at (830) 312-4600.

### SYSTEM SUSCEPTIBILITY SUMMARY

ASBESTOS	CYANIDE	METALS	MICROBIAL	MINERALS	RADIOCHEMICAL	SYNTHETIC ORGANIC CHEMICALS	DISINFECTION BYPRODUCT	VOLATILE ORGANIC CHEMICALS	DRINKING WATER CONTAMINANT CANDIDATE	OTHER
LOW	MEDIUM	HIGH	MEDIUM	HIGH	MEDIUM	HIGH	LOW	MEDIUM	HIGH	LOW

## Test Results

Our water is monitored for many different kinds of substances on a very strict sampling schedule. And, the water we deliver must meet specific health standards. Here, we only show those substances that were detected in our water (a complete list of all our analytical results is available upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The State recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

The percentage of Total Organic Carbon (TOC) removal was measured each month, and the system met all TOC removal requirements set.

We participated in the 4th stage of the U.S. EPA's Unregulated Contaminant Monitoring Rule (UCMR4) program by performing additional tests on our drinking water. UCMR4 sampling benefits the environment and public health by providing the U.S. EPA with data on the occurrence of contaminants suspected to be in drinking water, in order to determine if U.S. EPA needs to introduce new regulatory standards to improve drinking water quality. Unregulated contaminant monitoring data are available to the public, so please feel free to contact us if you are interested in obtaining that information. If you would like more information on the U.S. EPA's Unregulated Contaminants Monitoring Rule, please call the Safe Drinking Water Hotline at (800) 426-4791.

## Table Talk

Get the most out of the Testing Results data table with this simple suggestion. In less than a minute, you will know all there is to know about your water:

For each substance listed, compare the value in the Amount Detected column against the value in the MCL (or AL, SCL) column. If the Amount Detected value is smaller, your water meets the health and safety standards set for the substance.

### Other Table Information Worth Noting

If there was a violation, you will see a detailed description of the event in this report.

The Range column displays the lowest and highest sample readings. If the lowest sample reading and the highest sample reading are the same, that means that only a single sample was taken to test for the substance (assuming there is a reported value in the Amount Detected column).

If there is a 0, that means that the substance was not detected (i.e., below the detectable limits of the testing equipment).

If there is sufficient evidence to indicate from where the substance originates, it will be listed under Typical Source.

### REGULATED SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	HIGHEST AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Arsenic (ppb)	2018	10	0	9.7	0–9.7	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes
Barium (ppm)	2019	2	2	0.0394	0.0184–0.0394	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Beta/Photon Emitters <sup>1</sup> (pCi/L)	2019	50	0	4.6	0–4.6	No	Decay of natural and man-made deposits
Carbon Tetrachloride (ppb)	2016	5	0	0.5	0–0.5	No	Discharge from chemical plants and other industrial activities
Chlorine (ppm)	2019	[4]	[4]	1.58 <sup>2</sup>	0.3–2.5	No	Water additive used to control microbes
Chlorite (ppm)	2019	1	0.8	0.72	0.0–0.72	No	By-product of drinking water disinfection
Combined Radium (pCi/L)	2019	5	0	1.5	0–1.5	No	Erosion of natural deposits
Cyanide (ppb)	2017	200	200	20	0–20	No	Discharge from steel/metal factories; Discharge from plastic and fertilizer factories
Di(2-ethylhexyl) Phthalate (ppb)	2016	6	0	0.93	0–0.93	No	Discharge from rubber and chemical factories
Dichloromethane (ppb)	2018	5	0	1.1	0–1.1	No	Discharge from pharmaceutical and chemical factories
Ethylbenzene (ppb)	2018	700	700	0.5	0–0.5	No	Discharge from petroleum refineries
Fluoride (ppm)	2019	4	4	0.38	0.20–0.38	No	Erosion of natural deposits; Water additive, which promotes strong teeth; Discharge from fertilizer and aluminum factories
Gross Alpha [excluding Radon and Uranium] (pCi/L)	2019	15	0	4.4	0–4.4	No	Erosion of natural deposits
Haloacetic Acids [HAAs] (ppb)	2019	60	NA	16 <sup>3</sup>	1.2–19.3	No	By-product of drinking water disinfection
Nitrate (ppm)	2019	10	10	2.24	0–2.24	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	2019	50	50	3.4	0–3.4	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
TTHMs [Total Trihalomethanes] (ppb)	2019	80	NA	56 <sup>3</sup>	7.7–61.2	No	By-product of drinking water disinfection
Toluene (ppm)	2016	1	1	0.0009	0–0.0009	No	Discharge from petroleum factories
Total Coliform Bacteria (positive samples)	2019	TT	NA	1	NA	No	Naturally present in the environment
Turbidity <sup>4</sup> (NTU)	2019	TT	NA	0.48	0–0.48	No	Soil runoff
Turbidity (lowest monthly percent of samples meeting limit)	2019	TT = 95% of samples meet the limit	NA	100	NA	No	Soil runoff
Uranium (ppb)	2019	30	0	1	0–1	No	Erosion of natural deposits
Xylenes (ppm)	2018	10	10	0.0011	0–0.0011	No	Discharge from petroleum factories; Discharge from chemical factories

## Tap Water Samples Collected for Copper and Lead Analyses from Sample Sites throughout the Community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2019	1.3	1.3	0.116	0/30	No	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems
Lead (ppb)	2019	15	0	2	0/30	No	Corrosion of household plumbing systems; Erosion of natural deposits

## SECONDARY SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	SCL	MCLG	HIGHEST AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Aluminum (ppb)	2019	200	NA	152	152–152	No	Erosion of natural deposits; Residual from some surface water treatment processes
Chloride (ppm)	2019	300	NA	27	12–27	No	Runoff/leaching from natural deposits
Copper (ppm)	2019	1.0	NA	0.024	0.024–0.024	No	Corrosion of household plumbing systems; Erosion of natural deposits
Fuoride (ppm)	2019	2.0	NA	0.38	0.2–0.38	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Iron (ppb)	2019	300	NA	86	86–86	No	Leaching from natural deposits; Industrial wastes
Manganese (ppb)	2018	50	NA	1.3	1.3–1.3	No	Leaching from natural deposits
Sulfate (ppm)	2019	300	NA	29	14–29	No	Runoff/leaching from natural deposits; Industrial wastes
Total Dissolved Solids [TDS] (ppm)	2019	1,000	NA	367	269–367	No	Runoff/leaching from natural deposits
Zinc (ppm)	2019	5	NA	0.0449	0.0449–0.0449	No	Runoff/leaching from natural deposits; Industrial wastes

## UNREGULATED SUBSTANCES <sup>5</sup>

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	HIGHEST AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE
Bromodichloromethane (ppb)	2019	20.3	20.3–20.3	Disinfection by-product
Bromoform (ppb)	2019	7.9	7.9–7.9	Disinfection by-product
Chloroform (ppb)	2019	19	19–19	Disinfection by-product
Dibromochloromethane (ppb)	2019	21.5	21.5–21.5	Disinfection by-product
Nickel (ppm)	2019	0.004	0.0017–0.004	Discharge from petroleum and metal refineries; Erosion of natural deposits
Sodium (ppm)	2019	16.1	6.57–16.1	Erosion of natural deposits

<sup>1</sup>The MCL for beta particles is 4 mrem/year. U.S. EPA considers 50 pCi/L to be the level of concern for beta particles.

<sup>2</sup>Average

<sup>3</sup>Highest Locational Running Annual Average (LRAA)

<sup>4</sup>Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

<sup>5</sup>Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

## Definitions

**90th %ile:** The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

**AL (Action Level):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Level 1 Assessment:** A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria were found.

**Level 2 Assessment:** A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *Escherichia coli* (*E. coli*) maximum contaminant level (MCL) violation has occurred and/or why total coliform bacteria were found on multiple occasions.

**MCL (Maximum Contaminant Level):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**MCLG (Maximum Contaminant Level Goal):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**MRDL (Maximum Residual Disinfectant Level):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**MRDLG (Maximum Residual Disinfectant Level Goal):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**NA:** Not applicable.

**ND (Not detected):** Indicates that the substance was not found by laboratory analysis.

**NTU (Nephelometric Turbidity Units):** Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

**pCi/L (picocuries per liter):** A measure of radioactivity.

**ppb (parts per billion):** One part substance per billion parts water (or micrograms per liter).

**ppm (parts per million):** One part substance per million parts water (or milligrams per liter).

**SCL (Secondary Contaminant Level):** These standards are developed to protect aesthetic qualities of drinking water and are not health based.

**TT (Treatment Technique):** A required process intended to reduce the level of a contaminant in drinking water.

**µS/cm (microsiemens per centimeter):** A unit expressing the amount of electrical conductivity of a solution.

### UNREGULATED AND OTHER SUBSTANCES <sup>3</sup>

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE
<b>2-Butanone [MEK]</b> (ppb)	2017	11	11–11	Produced in outdoor air by the photo-oxidation of certain air pollutants, such as hydrocarbons
<b>Acetone</b> (ppb)	2017	12	12–12	Created during the natural living and growing processes of plants and animals
<b>Bicarbonate</b> (ppm)	2019	359	207–359	Erosion of natural deposits
<b>Bromochloroacetic Acid</b> (ppb)	2019	9	9–9	Disinfection by-product
<b>Calcium</b> (ppm)	2019	118	54.6–118	Erosion of natural deposits
<b>Dibromoacetic Acid</b> (ppb)	2019	8.0	1.2–8.0	Disinfection by-product
<b>Dichloroacetic Acid</b> (ppb)	2019	8.1	8.1–8.1	Disinfection by-product
<b>Diluted Conductance</b> (µS/cm)	2019	693	504–693	Erosion of natural deposits
<b>Gross Alpha [including Radon and Uranium]</b> (pCi/L)	2019	4.4	4.4–4.4	Erosion of natural deposits
<b>Hexadecanoic Acid</b> (ppb)	2019	4	4–4	Breakdown of animal and plant lipids
<b>Lead</b> (ppm)	2019	0.001	0.001–0.001	Corrosion of household plumbing systems; Erosion of natural deposits
<b>Magnesium</b> (ppm)	2019	36	11.3–36	Erosion of natural deposits
<b>Manganese</b> (ppb)	2019	NA	0.43–4.1	Leaching from natural deposits
<b>Monobromoacetic Acid</b> (ppb)	2019	1.3	1.3–1.3	Disinfection by-product
<b>Monochloroacetic Acid</b> (ppb)	2019	3	3–3	Disinfection by-product
<b>Octadecanoic Acid</b> (ppb)	2019	3.6	3.6–3.6	Breakdown of animal and plant lipids
<b>Phthalic Anhydride</b> (ppb)	2017	3.6	3.6–3.6	Formed as an artifact during gas chromatographic analysis
<b>Potassium</b> (ppm)	2019	3.55	1.06–3.55	Erosion of natural deposits
<b>Radium-226</b> (pCi/L)	2018	1.26	1.19–1.26	Erosion of natural deposits
<b>Radium-228</b> (pCi/L)	2015	1.0	1.0–1.0	Erosion of natural deposits
<b>Tetrahydrofuran</b> (ppb)	2018	344	344–344	Discharge from plastic and rubber factories
<b>Total Alkalinity [as CaCO<sub>3</sub>]</b> (ppm)	2019	294	170–294	Erosion of natural deposits
<b>Total Hardness</b> (ppm)	2019	343	214–343	Erosion of natural deposits
<b>Trichloroacetic Acid</b> (ppb)	2019	2.2	2.2–2.2	Disinfection by-product

### UNREGULATED CONTAMINANT MONITORING RULE - PART 4 (UCMR4)

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH
<b>Bromide</b> (ppb)	2019	118	100–118
<b>HAA5</b> (ppb)	2019	21	2.32–21
<b>HAA6Br</b> (ppb)	2019	31.8	7.2–31.8
<b>HAA9</b> (ppb)	2019	41.7	7.72–41.7
<b>Manganese</b> (ppb)	2019	NA	0.43–4.1
<b>Total Organic Carbon [TOC]</b> (ppb)	2019	2870	1540–2870

### COLIFORM BACTERIA

MAXIMUM CONTAMINANT LEVEL GOAL	TOTAL COLIFORM MAXIMUM CONTAMINANT LEVEL	HIGHEST NO. OF POSITIVE	FECAL COLIFORM OR E. COLI MAXIMUM CONTAMINANT LEVEL	TOTAL NO. OF POSITIVE E. COLI OR FECAL COLIFORM SAMPLES	VIOLATION	LIKELY SOURCE OF CONTAMINATION
0	1 positive monthly sample	1		0	N	Naturally present in the environment